

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

**1.1 Product identifier**

**Product name:** SoySTEP Epoxy Flooring System, Part A  
**Product code:** SoySTEP Epoxy Flooring System, Part A  
**Synonym(s):** Epoxy resin/bio-based plasticizer blend

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**General use:** Epoxy coatings  
**Uses advised against:** None known

**1.3 Details of the supplier and of the safety data sheet**

Endurmo  
12110 Ellington Ct.  
Cincinnati, Ohio 45249 USA  
+1-331-214-1655

**1.4 Emergency telephone number**

CHEMTREC: +1-800-424-9300 - 24 HR EMERGENCY

**SECTION 2 - HAZARDS IDENTIFICATION**

**2.1 Classification of substance or mixture**

**Product definition:** Mixture

**Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008**

Skin Irritation - Category 2 [H315]  
Sensitizer, Skin - Category 1 [H317]  
Eye Irritation - Category 2A [H319]  
Aquatic Toxicity, Chronic - Category 2 [H411]

**2.2 Label elements**

**Hazard symbol(s)**



GHS07

**Signal word:** **Warning**

**Hazard statement(s):** H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H411 - Toxic to aquatic life with long lasting effects

**Precautionary statements**

**[Prevention]**

P261 - Avoid breathing mist and vapor.  
P264 + P265 - Wash hands and other exposed skin areas thoroughly after handling. Do not touch eyes.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing and eye protection.  
**[Response]** P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 - Specific treatment: Call a doctor if you feel unwell. Refer to Section 4 of this SDS.  
P333 + P337 + P317 - If skin irritation occurs or if eye irritation persists: Get medical help.  
P362 + P364 - Take off contaminated clothing and wash before reuse.  
P391 - Collect spillage.  
**[Disposal]** P501 - Dispose of contents and containers in accordance with national and local regulations.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

None as defined by 29 CFR 1900.1200.

**2.4 Unknown acute toxicity (US)**

Not applicable

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

Not applicable

### 3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
65 - 85	Bisphenol A/epichlorohydrin epoxy resin	Proprietary	-----	-----	H315, H317, H319, H411

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

## SECTION 4 - FIRST AID MEASURES

### 4.1 Description of first aid measures

**Inhalation:** If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If symptoms persist or if the victim feels unwell, seek medical attention.

**Eyes:** Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

**Skin:** Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. Discard items that cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If irritation persists, if rash develops or if the victim feels unwell, seek medical attention.

**Ingestion:** Rinse mouth with water if the victim is conscious. Remove dentures if present. Give 1 - 2 glasses at most of water to drink if the victim is conscious, alert and able to swallow. Vomiting may occur spontaneously. To prevent aspiration of material into the lungs, lay the victim on one side with the head lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential health symptoms and effects

**Eyes:** Causes serious eye irritation. Symptoms may include redness, swelling, pain and tearing. Vapor or fumes can cause eye irritation.

**Skin:** Causes skin irritation. Prolonged contact with unprotected skin can cause localized redness, itching, blisters, chemical burns and discomfort. May cause an allergic skin reaction with subsequent sensitization. Persons previously sensitized can experience allergic skin reactions with symptoms of redness, itching, swelling and rash upon re-exposure to material.

**Inhalation:** Not expected to be an inhalation hazard due to the low volatility of this material. May cause respiratory irritation when heated. Symptoms may include runny nose, cough, sore throat, sneezing, wheezing and shortness of breath. Prolonged or repeated inhalation may cause respiratory sensitization with allergy or asthma-like symptoms or breathing difficulties.

**Ingestion:** Causes irritation of the gastrointestinal tract with nausea, vomiting, abdominal pain and diarrhea. Aspiration of material during swallowing or vomiting causing lung inflammation and chemical pneumonitis, which may be fatal. Symptoms of aspiration into the lungs include coughing, gasping, choking, shortness of breath, bluish colored skin, rapid breathing and rapid heart rate

**Chronic:** May cause skin sensitization with subsequent contact dermatitis upon re-exposure to this material. Prolonged or repeated inhalation may cause respiratory sensitization with allergy or asthma-like symptoms or breathing difficulties.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Advice to doctor and hospital personnel

Treat symptomatically and supportively.

## SECTION 5 - FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable methods of extinction:** Use extinguishing media such as water fog or spray, carbon dioxide, alcohol resistant foam or dry chemical.

**Unsuitable methods of extinction:** Water jets or streams may spread the fire.

### 5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

**Explosion hazards:** This product is not an explosion hazard. Avoid high temperatures and hot surfaces.

### 5.3 Advice to firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2, including respiratory protection.

Ventilate the area. Remove all sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.

## 6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements.

## 6.3 Methods and materials for containment and cleaning up

Approach spill from upwind direction. DO NOT FLUSH SPILL DOWN THE DRAIN. Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of contents and containers via a licensed waste disposal contractor.

## 6.4 Reference to other sections

See Section 13 for additional waste treatment information.

# SECTION 7 - HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. Do not inhale mist or vapor. NO SMOKING. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing and shoes thoroughly before reuse. Discard items that cannot be decontaminated, including leather articles such as shoes, belts and watchbands.

### Advice on protection against fire and explosion

Keep away from heat, hot surfaces and incompatible materials.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away from incompatible materials (see Section 10.5), food and drink. Store between 10 - 35 °C (50 - 95 °F). Prolonged storage of material or cold temperatures may result in reversible crystallization. Crystallized material can be liquified by heating slowly to 50 °C (122 °F) for 6 - 24 hours.

Transfer only to approved containers having correct labeling. Keep container tightly closed when not in use. Protect containers from physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers are hazardous when empty as they contain product residue. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Keep out of reach of children.

## 7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

**Engineering measures:** Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

**Individual protection measures:** Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

**Hygiene measures:** Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

**Eye/face protection:** Wear chemical goggles or safety glasses with unperforated side shields during use.

**Hand protection:** Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

**Skin protection:** Wear protective clothing. Wear protective boots if the situation requires.

**Respiratory protection:** Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

**Environmental exposure controls:** Do not empty into drains.

*PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean, fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.*



## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	Clear, yellow liquid
<b>Odor</b>	Mild, characteristic
<b>Odor Threshold</b>	No data available
<b>Molecular Weight</b>	Not applicable
<b>Chemical Formula</b>	Not applicable
<b>pH</b>	No data available
<b>Melting Point</b>	Not applicable
<b>Initial Boiling Point</b>	> 216 °C (> 419 °F)
<b>Evaporation Rate</b>	< 1 [n-BuOAc = 1]
<b>Flammability (solid, gas)</b>	Not applicable
<b>Flash Point</b>	> 130 °C (> 266 °F) [estimated]
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Lower Explosive Limit (LEL)</b>	No data available
<b>Upper Explosive Limit (UEL)</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	> 1 [Air = 1]
<b>Specific Gravity</b>	1.0018 - 1.1118 [calculated]
<b>Viscosity</b>	No data available
<b>Solubility in Water</b>	Negligible
<b>Partition Coefficient (n-octanol/water)</b>	No data available
<b>Oxidizing Properties</b>	Not applicable
<b>Explosive Properties</b>	Not applicable
<b>Volatiles by Weight @ 21 °C</b>	No data available

### 9.2 Other Data

<b>Particle Size</b>	Not applicable
----------------------	----------------

## SECTION 10 - STABILITY AND REACTIVITY

### 10.1 Reactivity

No special reactivity has been reported during normal conditions of handling and use.

### 10.2 Chemical Stability

This material is stable under recommended conditions of storage and handling. Prolonged storage of material may result in reversible crystallization. Crystallized material can be liquified by heating slowly to 50 °C (122 °F) for 6 - 24 hours.

### 10.3 Possibility of hazardous reactions

Reacts exothermically with amines, generating considerable heat buildup.

### 10.4 Conditions to avoid

Avoid high temperatures, hot surfaces and contact with incompatible materials. Avoid short term exposures to temperatures > 300 °C (> 572 °F) and prolonged exposure to temperatures > 250 °C (> 482 °F). Potentially violent decomposition can occur above 350 °C (662 °F).

### 10.5 Incompatible materials

Strong oxidizing agents, strong bases, strong acids, amines, mercaptans

### 10.6 Hazardous decomposition products

Thermal decomposition products may include oxides of carbon, phenolics, aldehydes, smoke, toxic fumes and gases.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute oral toxicity

LD<sub>50</sub>, rat: > 5,000 mg/kg [calculated]

#### Acute inhalation toxicity

No data available

#### Acute dermal toxicity

LD<sub>50</sub>, rabbit: > 5,000 mg/kg [calculated]

**Skin irritation**

Causes skin irritation.

**Eye irritation**

Causes severe eye irritation.

**Sensitization**

May cause an allergic skin reaction or respiratory sensitization with allergy or asthma-like symptoms or breathing difficulty.

**Carcinogenicity**

No data available

**Germ cell mutagenicity**

No data available

**Reproductive toxicity**

No data available

**Specific organ toxicity - single exposure**

No data available

**Specific organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Further information**

This product contains no substances present at levels greater than or equal to the 0.1% threshold (de minimis) that are identified as a probable, possible, potential or confirmed carcinogens by ACGIH, IARC, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice

**SECTION 12 - ECOLOGICAL INFORMATION****12.1 Toxicity**

This material is toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

This material cannot be considered readily biodegradable.

**12.3 Bioaccumulation potential**

The bioaccumulation potential for this material is moderate.

**12.4 Mobility in soil**

The potential for mobility in soil is low.

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Endocrine disrupting properties**

This mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other effects****Additional ecological information**

Do not allow material to enter surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**SECTION 13 - DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

**Methods of waste disposal:** The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products in accordance with national, state and local regulations. Disposal of this product should always comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**RCRA F-Series:** No listings above the reportable threshold (de minimis)

**RCRA U-Series:** No listings above the reportable threshold (de minimis)

## SECTION 14 - TRANSPORT INFORMATION

**Note:** Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

Limited quantity for miscellaneous materials in Packing Group III when inner packagings are not over 5.0 liters (1.3 gallons) net capacity each, packed in a strong outer packaging.

<b>USA DOT (Ground Transportation)</b>	<b>NOT REGULATED FOR TRANSPORT</b>
<b>IMO/IMDG (Water Transportation)</b>	
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquids, n.o.s. (Epoxy resins)
<b>Hazard Class</b>	9
<b>UN</b>	UN3082
<b>Packing Group</b>	III
<b>Marine Pollutant</b>	Yes
<b>EMS Number</b>	F-A, S-F
<b>ICAO/IATA (Air Transportation)</b>	
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquids, n.o.s. (Epoxy resins)
<b>Hazard Class</b>	9
<b>UN</b>	UN3082
<b>Packing Group</b>	III
<b>Quantity Limitations</b>	49 CFR 175.27 and 175.75 - Cargo Aircraft Only: No limit; Passenger Aircraft: No limit
<b>RID/ADR (Rail Transportation)</b>	<b>NOT REGULATED FOR TRANSPORT</b>

### Placards(s)



Marine Pollutant

## SECTION 15 - REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

#### U. S. Federal Regulations

**OSHA Hazard Communication Standard:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

**OSHA Process Safety Management Standard:** This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

**EPA Risk Management Planning Standard:** This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

**EPA Federal Insecticide, Fungicide and Rodenticide Act:** This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

**Toxic Substance Control Act (TSCA) Inventory:** All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

**Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number**  
No listings

**Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number:** No listings

**Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals:** No listings

#### **Superfund Amendments and Reauthorization Act (SARA)**

**SARA Section 311/312 Hazard Categories** Causes skin irritation and serious eye irritation May cause an allergic skin reaction

**SARA 313 Information:** None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

**SARA 302/304 Extremely Hazardous Substances:** None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

**SARA 302/304 Emergency Planning & Notification:** None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

**Comprehensive Response Compensation and Liability Act (CERCLA):** None of the components of this product exceed the threshold (de minimis) reporting levels for hazardous wastes established by CERCLA.

#### **Clean Air Act (CAA)**

This product does not contain Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain Class 1 ozone depleters.

This product does not contain Class 2 ozone depleters.

#### **Clean Water Act (CWA)**

This product does not contain Hazardous Substances.

This product does not contain Priority Pollutants.

This product does not contain Toxic Pollutants.

#### U.S. State Regulations

##### **California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

**⚠ WARNING:** This product can expose you to *Epichlorohydrin* (<10 ppm), which is known to the state of California to cause cancer, birth

defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Other U.S. State Inventories**

None of the components in this product exceed the reporting threshold (de minimis) listed on any State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists.

**Canada**

**WHMIS Hazard Classification:** May cause an allergic skin reaction

**Canadian National Pollutant Release Inventory (NPRI):** This product contains no chemicals above the reporting threshold (de minimis) listed on the NPRI.

**European Economic Community**

**WGK, Germany (Water danger/protection):** 2 (obviously hazardous to water)

**Global Chemical Inventory Lists**

Country	Inventory Name	Listed
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
Europe	Inventory of New and Existing Chemicals (EINECS)	Yes
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (KECI)	Yes
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes

\*Yes - All components of this product comply with the inventory requirements administered by the governing country.  
 No - One or more components of this product are not on the inventory or are exempt from listing or will require registration.

**15.2 Chemical safety assessment**

A chemical safety assessment was not carried out for this product.

**SECTION 16 - OTHER INFORMATION**

**Hazardous Material Information System (HMIS)**



C = safety goggles, gloves & apron


**HMIS Hazard Rating Legend**

0 = Minimal 1 = Slight 2 = Moderate  
 3 = Serious 4 = Severe  
 \* = Chronic Health Hazard

**NFPA Hazard Rating Legend**

0 = Insignificant 1 = Slight 2 = Moderate  
 3 = High 4 = Extreme

**National Fire Protection Association (NFPA)**



**Abbreviation Key**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>LD<sub>Lo</sub></b>	Lowest Lethal Dose
<b>ADR</b>	Accord Dangereux Routier (European regulations concerning the international transport of dangerous goods by road)	<b>mppcf</b>	Millions of Particles Per Cubic Foot
<b>CAS</b>	Chemical Abstract Services	<b>NA</b>	North America
<b>CFR</b>	Code of Federal Regulations	<b>NAERG</b>	North American Emergency Response Guide Book
<b>COC</b>	Cleveland Open Cup	<b>NIOSH</b>	National Institute for Occupational Safety & Health
<b>DOT</b>	Department of Transportation	<b>NTP</b>	National Toxicology Program
<b>EC<sub>50</sub></b>	Half maximal effective concentration	<b>OSHA</b>	Occupational Safety and Health Administration
<b>EMS</b>	Emergency Response Procedures for Ships Carrying	<b>PBT</b>	Persistent, Bioaccumulating and Toxic
<b>EPA</b>	Environmental Protection Agency	<b>PEL</b>	Permissible exposure limit
<b>ErC<sub>50</sub></b>	Reduction of Growth Rate	<b>PMCC</b>	Pensky-Martens Closed Cup
<b>ERG</b>	Emergency Response Guide Book	<b>ppm</b>	Parts Per Million
<b>FDA</b>	Food and Drug Administration	<b>RCRA</b>	Resource Conservation and Recovery Act
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)	<b>RID</b>	Dangerous Goods by Rail
<b>HCS</b>	Hazard Communication Standard	<b>RQ</b>	Reportable Quantity
<b>IARC</b>	International Agency for Research on Cancer	<b>TCC/Tag</b>	Tagliabue Closed Cup
<b>IATA</b>	International Air Transport Association	<b>TLV</b>	Threshold Limit Value
<b>IC<sub>50</sub></b>	Half Maximal Inhibitory Concentration	<b>TSCA</b>	Toxic Substance Control Act
<b>ICAO</b>	International Civil Aviation Organization	<b>TWA</b>	Time-weighted Average
<b>IDLH</b>	Immediately Dangerous to Life and Health	<b>UN</b>	United Nations
<b>IMDG</b>	International Maritime Dangerous Goods	<b>VOC</b>	Volatile Organic Compounds
<b>IMO</b>	International Maritime Organization	<b>vPvB</b>	Very Persistent and Very Bioaccumulating

**LC<sub>50</sub>** 50% Lethal Concentration  
**LD<sub>50</sub>** 50% Lethal Dose

**WHMIS** Workplace Hazardous Materials Information System

### **DISCLAIMER OF RESPONSIBILITY**

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented, and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Revision date: 03 September 2024, Version 4  
Supersedes SDS: 24 January 2020, Version 3

**<end of document>**