

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

**1.1 Product identifier**

**Product name:** SoySTEP Epoxy Flooring System, Part B  
**Product code:** SoySTEP Epoxy Flooring System, Part B  
**Synonym(s):** Cycloaliphatic amine curing agent

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**General use:** Hardener for epoxy coatings  
**Uses advised against:** None known

**1.3 Details of the supplier and of the safety data sheet**

Endurmo  
12110 Ellington Ct.  
Cincinnati, Ohio 45249 USA  
+1-331-214-1655

**1.4 Emergency telephone number**

CHEMTREC: +1-800-424-9300 - 24 HR EMERGENCY

**SECTION 2 - HAZARDS IDENTIFICATION**

**2.1 Classification of substance or mixture**

**Product definition:** Mixture

**Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008**

Acute Toxicity, Oral - Category 4 [H302]  
Acute Toxicity, Dermal - Category 4 [H312]  
Skin Damage - Category 1B [H314]  
Eye Damage - Category 1 [H318]  
Acute Toxicity, Inhalation - Category 4 [H332]  
Reproductive Toxicity - Category 2 [H361]  
Aquatic Toxicity, Chronic - Category 1 [H410]

**2.2 Label elements**

**Hazard symbol(s):**



**Signal word:**

**Danger**

**Hazard statement(s):**

H302 + H312 - Harmful if swallowed or in contact with skin  
H314 - Causes severe skin burns and eye damage  
H318 - Causes severe eye damage  
H332 - Harmful if inhaled  
H361 - Suspected of damaging fertility or the unborn child  
H411 - Very toxic to aquatic life with long lasting effects

**Precautionary statements**

**[Prevention]**

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P203 - Obtain, read, and follow all safety instructions before use.  
P260 - Do not breathe mist or vapor.  
P264 - Wash hands and other exposed skin areas thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing and eye protection.

**[Response]**

P301 + P330 + P331 + P316 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Get emergency medical help immediately.  
P302 + P361 + P353 + P316 - IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse skin with water for several minutes. Get emergency medical help immediately.  
P304 + P340 + P316 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get emergency medical help immediately.  
P305 + P354 + P338 + P316 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get emergency medical help immediately.  
P318 - If exposed or concerned, get medical advice.  
P321 - Specific treatment: Call a POISON CENTER or doctor. Refer to Section 4 of this SDS.

P362 + P364 - Take off contaminated clothing and wash before reuse.  
P391 - Collect spillage.  
P405 - Store locked up.  
P501 - Dispose of contents and containers in accordance with national and local regulations.

[Storage]

[Disposal]

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None as defined by 29 CFR 1900.1200.

### 2.4 Unknown acute toxicity (US)

Not applicable

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
5 - 25	4-tert-Butylphenol	98-54-4	202-679-0	604-090-00-8	H315, H318, H361, H410
15 - 30	4-Nonylphenol, branched	84852-15-3	284-325-5	601-053-00-8	H302, H314, H361, H410
25 - 40	Epoxy polyamine adduct	Proprietary	-----	-----	H314
30 - 50	1,3-Cyclohexanedimethanamine	2579-20-6	219-941-5	-----	H302, H312, H314, H412

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

## SECTION 4 - FIRST AID MEASURES

### 4.1 Description of first aid measures

**Inhalation:** If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If symptoms persist or if the victim feels unwell, seek medical attention.

**Eyes:** Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

**Skin:** Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. Discard items that cannot be decontaminated, including leather articles such as shoes, belts and watchbands. Seek immediate medical attention for chemical burns. If irritation persists, if rash develops or if the victim feels unwell, seek medical attention.

**Ingestion:** Rinse mouth with water if the victim is conscious. Remove dentures if present. Give 1 - 2 glasses at most of water to drink if the victim is conscious, alert and able to swallow. Vomiting may occur spontaneously. To prevent aspiration of material into the lungs, lay the victim on one side with the head lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential health symptoms and effects

**Eyes:** Causes severe eye irritation and serious eye damage. Symptoms may include redness, swelling, pain, blisters and tearing. Prolonged contact with eye can cause conjunctivitis and corneal injury. Risk of permanent eye damage and blindness. Vapor or fumes can cause eye irritation.

**Skin:** Harmful in contact with skin. Causes severe skin irritation and burns. Prolonged contact with unprotected skin can cause localized redness, itching, blisters, chemical burns and discomfort.

**Inhalation:** Harmful if inhaled. May cause respiratory irritation with runny nose, cough, sore throat, nasal congestion, sneezing, wheezing, shortness of breath, reduced pulmonary function, convulsions and unconsciousness. May cause delayed pulmonary edema. May cause burns to the respiratory tract and damage to the mucous membranes of the nasal cavity. Prolonged or repeated inhalation may cause respiratory sensitization with allergy or asthma-like symptoms or breathing difficulties.

**Ingestion:** Harmful if swallowed. Causes severe irritation of the gastrointestinal tract with nausea, vomiting, abdominal pain and diarrhea. Causes burns to the lips, mouth, throat, esophagus and digestive tract. May cause unconsciousness and convulsions. Aspiration of material into the lungs during swallowing or vomiting causing lung inflammation and chemical pneumonitis, which may be fatal. Symptoms of aspiration include coughing, gasping, choking, shortness of breath, bluish colored skin, rapid breathing and rapid heart rate

**Chronic:** May cause skin sensitization with subsequent contact dermatitis upon re-exposure to this material. Repeated exposure may cause damage to the liver, kidneys and respiratory system. May cause respiratory sensitization with asthma-like symptoms. Can cause an allergic reaction in individuals sensitive to amines. Suspected of damaging fertility or the unborn child. Refer to Section 11.2.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Advice to doctor and hospital personnel

Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as

any thermal burn after decontamination. Due to irritant properties, swallowing may result in burns or ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Treat symptomatically and supportively.

## SECTION 5 - FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable methods of extinction:** Use extinguishing media such as water fog or spray, carbon dioxide, alcohol resistant foam or dry chemical.

**Unsuitable methods of extinction:** Water jets or streams may spread the fire.

### 5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

**Explosion hazards:** This product is not an explosion hazard. Avoid high temperatures and hot surfaces.

### 5.3 Advice to firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2, including respiratory protection. Ventilate the area. Remove all sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.

### 6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements.

### 6.3 Methods and materials for containment and cleaning up

Approach spill from upwind direction. DO NOT FLUSH SPILL DOWN THE DRAIN. Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of contents and containers via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 13 for additional waste treatment information.

## SECTION 7 - HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. Do not inhale mist or vapor. NO SMOKING. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing and shoes thoroughly before reuse. Discard items that cannot be decontaminated, including leather articles such as shoes, belts and watchbands.

#### **Advice on protection against fire and explosion**

Keep away from heat, hot surfaces and incompatible materials.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away from incompatible materials (see Section 10.5), food and drink. Transfer only to approved containers having correct labeling. Keep container tightly closed when not in use. Protect containers from physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers are hazardous when empty as they contain product residue. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Keep locked up and out of reach of children.

### 7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

**Engineering measures:** Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

**Individual protection measures:** Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

**Hygiene measures:** Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

**Eye/face protection:** Wear chemical goggles or safety glasses with unperforated side shields during use.

**Hand protection:** Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

**Skin protection:** Wear protective clothing. Wear protective boots if the situation requires.

**Respiratory protection:** Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

**Environmental exposure controls:** Do not empty into drains.

*PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean, fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.*



Splash Goggles



Gloves



Protective Apron

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	Clear, colorless to amber liquid
<b>Odor</b>	Amine-like
<b>Odor Threshold</b>	No data available
<b>Molecular Weight</b>	Not applicable
<b>Chemical Formula</b>	Not applicable
<b>pH</b>	No data available
<b>Melting Point</b>	Not applicable
<b>Boiling Point</b>	No data available
<b>Evaporation Rate</b>	< 1 [n-BuOAc = 1]
<b>Flammability (solid, gas)</b>	Not applicable
<b>Flash Point</b>	> 93 °C (>200 °F), closed cup
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Lower Explosive Limit (LEL)</b>	No data available
<b>Upper Explosive Limit (UEL)</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	> 1 [Air = 1]
<b>Specific Gravity</b>	1.01
<b>Viscosity</b>	3,200 - 4,300 cP @ 25 °C
<b>Solubility in Water</b>	Partially miscible
<b>Partition Coefficient (n-octanol/water)</b>	No data available
<b>Oxidizing Properties</b>	Not applicable
<b>Explosive Properties</b>	Not applicable
<b>Volatiles by Weight @ 21 °C</b>	No data available

### 9.2 Other Data

<b>Particle Size</b>	Not applicable
----------------------	----------------

## SECTION 10 - STABILITY AND REACTIVITY

### 10.1 Reactivity

No special reactivity has been reported during normal conditions of handling and use.

### 10.2 Chemical Stability

This material is stable under recommended conditions of storage and handling.

### 10.3 Possibility of hazardous reactions

May react exothermically with strongly acidic or strongly alkaline materials.

#### 10.4 Conditions to avoid

High temperatures, hot surfaces, sources of ignition, contact with incompatible materials

#### 10.5 Incompatible materials

Strong oxidizing agents, strong acids, epoxides, isocyanates

#### 10.6 Hazardous decomposition products

Thermal decomposition products may include oxides of carbon, nitrogen oxides, toxic fumes and gases.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute oral toxicity

LD<sub>50</sub>, rat: 1,316 mg/kg [calculated, ATE]

#### Acute inhalation toxicity

LC<sub>50</sub>, rat: > 5 mg/l [calculated, ATE]

#### Acute dermal toxicity

LD<sub>50</sub>, rabbit: 2,289 mg/kg [calculated, ATE]

#### Skin irritation

Causes serious skin irritation and severe burns.

#### Eye irritation

Causes serious eye damage.

#### Sensitization

May cause an allergic skin reaction or respiratory sensitization with allergy or asthma-like symptoms or breathing difficulty.

#### Carcinogenicity

No data available

#### Germ cell mutagenicity

No data available

#### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

#### Specific organ toxicity - single exposure

May cause respiratory irritation.

#### Specific organ toxicity - repeated exposure

May cause damage to the respiratory system through prolonged or repeated exposure.

#### Aspiration hazard

No data available

### 11.2 Further information

**4-Nonylphenol, branched** (CAS #84852-15-3) is a possible endocrine disruptor and is suspected of damaging fertility or the unborn child.

**4-tert-Butylphenol** (CAS #98-54-4) is a possible endocrine disruptor and is suspected of damaging fertility.

This product contains no substances present at levels greater than or equal to the 0.1% threshold (de minimis) that are identified as a probable, possible, potential or confirmed carcinogens by ACGIH, IARC, NTP or OSHA.

Handle in accordance with good industrial hygiene and safety practice

## SECTION 12 - ECOLOGICAL INFORMATION

### 12.1 Toxicity

This material is very toxic to aquatic life with long lasting effects.

**Acute toxicity to fish:** LC<sub>50</sub> - Fresh water fish: 0.65 mg/l

**Acute toxicity to aquatic invertebrates:** EC<sub>50</sub> - Daphnia magna (Water flea): 0.17 g/l

### 12.2 Persistence and degradability

The biodegradability of this product has not been measured. 1,3-Cyclohexanebis(methylamine) is not readily biodegradable. 4-Nonylphenol, branched is expected to biodegrade only very slowly.

### 12.3 Bioaccumulation potential

Based on data for the individual components, the bioconcentration potential for this product is moderate.

### 12.4 Mobility in soil

Based on data for the individual components, the potential for mobility in soil for this product is low.

### 12.5 Results of PBT and vPvB assessment

No data available

## 12.6 Endocrine disrupting properties

4-tert-Butyl phenol and 4-nonylphenol, branched are considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other effects

### Additional ecological information

Do not allow material to enter surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## SECTION 13 - DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Methods of waste disposal:** The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products in accordance with national, state and local regulations. Disposal of this product should always comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**RCRA F-Series:** No listings above the reportable threshold (de minimis)

**RCRA U-Series:** No listings above the reportable threshold (de minimis)

## SECTION 14 - TRANSPORT INFORMATION

**Note:** Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

Limited quantity for corrosive liquids in Packing Group III when inner packagings are not over 5.0 liters (1.3 gallons) net capacity each, packed in a strong outer packaging.

### USA DOT (Ground Transportation) - Bulk and Non-bulk

Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)
Hazard Class	8
UN	UN2735
Packing Group	III
NAERG	Guide #153
Packaging Authorization	Non-Bulk: 49 CFR 173.203; Bulk: 173.241
Packaging Exceptions	49 CFR 173.154

### IMO/IMDG (Water Transportation)

Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)
Hazard Class	8
UN	UN2735
Packing Group	III
Marine Pollutant	Yes
EMS Number	F-A, S-B

### ICAO/IATA (Air Transportation)

Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)
Hazard Class	8
UN	UN2735
Packing Group	III
Quantity Limitations	49 CFR 175.27 and 175.75 - Cargo Aircraft Only: 60 l; Passenger Aircraft: 5 l

### RID/ADR (Rail Transportation)

Proper Shipping Name	Polyamines, liquid, corrosive, n.o.s. (1,3-Cyclohexanedimethanamine)
Hazard Class	8
UN	UN2735
Packing Group	III

Placard(s)



Marine Pollutant

## SECTION 15 - REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

#### U. S. Federal Regulations

**OSHA Hazard Communication Standard:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

**OSHA Process Safety Management Standard:** This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

**EPA Risk Management Planning Standard:** This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

**EPA Federal Insecticide, Fungicide and Rodenticide Act:** This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.



**Toxic Substance Control Act (TSCA) Inventory:** All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

**Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number**  
No listings

**Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number:** No listings

**Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals:** No listings

#### **Superfund Amendments and Reauthorization Act (SARA)**

##### **SARA Section 311/312 Hazard Categories**

Harmful if swallowed, if inhaled or in contact with skin                      Toxic to aquatic life with long lasting effects  
Causes severe skin burns and eye damage    Suspected of damaging fertility or the unborn child

**SARA 313 Information:** 4-Nonylphenol, branched is subject to the reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

**SARA 302/304 Extremely Hazardous Substances:** None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

**SARA 302/304 Emergency Planning & Notification:** None of the chemicals in this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

**Comprehensive Response Compensation and Liability Act (CERCLA):** None of the components of this product exceed the threshold (de minimis) reporting levels for hazardous wastes established by CERCLA.

#### **Clean Air Act (CAA)**

This product does not contain Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain Class 1 ozone depletors.

This product does not contain Class 2 ozone depletors.

#### **Clean Water Act (CWA)**

This product does not contain Hazardous Substances.

This product does not contain Priority Pollutants.

This product does not contain Toxic Pollutants.

#### **U.S. State Regulations**

##### **California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

This product contains no chemical(s) known to the state of California to cause cancer, birth defects or reproductive harm in concentrations that exceed the threshold (de minimis) reporting levels established under Proposition 65.

##### **Other U.S. State Inventories**

*4-t-Butylphenol (CAS #98-54-4)* is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: ME, MN.

*4-Nonylphenol, branched (CAS #84852-15-3)* is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: MA, ME, MN.

#### **Canada**

##### **WHMIS Hazard Classification**

Harmful if swallowed, if inhaled or in contact with skin                      Suspected of damaging fertility or the unborn child  
Causes severe skin burns and eye damage

**Canadian National Pollutant Release Inventory (NPRI):** This product contains no chemicals listed on the NPRI.

#### **European Economic Community**

**WGK, Germany (Water danger/protection):** 3 (highly hazardous to water)

#### **Global Chemical Inventory Lists**

Country	Inventory Name	Listed
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
Europe	Inventory of New and Existing Chemicals (EINECS)	Yes
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (KECI)	Yes
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes

\*Yes - All components of this product comply with the inventory requirements administered by the governing country.

No - One or more components of this product are not on the inventory or are exempt from listing or will require registration.

## **15.2 Chemical safety assessment**

A chemical safety assessment was not carried out for this product.

## SECTION 16 - OTHER INFORMATION

### Hazardous Material Information System (HMIS)

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0
PERSONAL PROTECTION	C	

C = safety goggles, gloves & apron

#### HMIS Hazard Rating Legend

0 = Minimal 1 = Slight 2 = Moderate

3 = Serious 4 = Severe


\* = Chronic Health Hazard

#### NFPA Hazard Rating Legend

0 = Insignificant 1 = Slight 2 = Moderate

3 = High 4 = Extreme

### National Fire Protection Association (NFPA)



### Full Text of GHS Hazard Phrases Referenced in Section 3 (not covered in Section 2)

H315 - Causes skin irritation

H412 - Harmful to the aquatic life with long lasting effects

#### Abbreviation Key

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>LD<sub>Lo</sub></b>	Lowest Lethal Dose
<b>ADR</b>	Accord Dangereux Routier (European regulations concerning the international transport of dangerous goods by road)	<b>mppcf</b>	Millions of Particles Per Cubic Foot
<b>CAS</b>	Chemical Abstract Services	<b>NA</b>	North America
<b>CFR</b>	Code of Federal Regulations	<b>NAERG</b>	North American Emergency Response Guide Book
<b>COC</b>	Cleveland Open Cup	<b>NIOSH</b>	National Institute for Occupational Safety & Health
<b>DOT</b>	Department of Transportation	<b>NTP</b>	National Toxicology Program
<b>EC<sub>50</sub></b>	Half maximal effective concentration	<b>OSHA</b>	Occupational Safety and Health Administration
<b>EMS</b>	Emergency Response Procedures for Ships Carrying	<b>PBT</b>	Persistent, Bioaccumulating and Toxic
<b>EPA</b>	Environmental Protection Agency	<b>PEL</b>	Permissible exposure limit
<b>ErC<sub>50</sub></b>	Reduction of Growth Rate	<b>PMCC</b>	Pensky-Martens Closed Cup
<b>ERG</b>	Emergency Response Guide Book	<b>ppm</b>	Parts Per Million
<b>FDA</b>	Food and Drug Administration	<b>RCRA</b>	Resource Conservation and Recovery Act
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)	<b>RID</b>	Dangerous Goods by Rail
<b>HCS</b>	Hazard Communication Standard	<b>RQ</b>	Reportable Quantity
<b>IARC</b>	International Agency for Research on Cancer	<b>TCC/Tag</b>	Tagliabue Closed Cup
<b>IATA</b>	International Air Transport Association	<b>TLV</b>	Threshold Limit Value
<b>IC<sub>50</sub></b>	Half Maximal Inhibitory Concentration	<b>TSCA</b>	Toxic Substance Control Act
<b>ICAO</b>	International Civil Aviation Organization	<b>TWA</b>	Time-weighted Average
<b>IDLH</b>	Immediately Dangerous to Life and Health	<b>UN</b>	United Nations
<b>IMDG</b>	International Maritime Dangerous Goods	<b>VOC</b>	Volatile Organic Compounds
<b>IMO</b>	International Maritime Organization	<b>vPvB</b>	Very Persistent and Very Bioaccumulating
<b>LC<sub>50</sub></b>	50% Lethal Concentration	<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>LD<sub>50</sub></b>	50% Lethal Dose		

#### DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented, and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Revision date: 04 September 2024, Version 4

Supersedes SDS: 24 January 2020, Version 3

<end of document>